




Scan QR Code
for more Details



*Discover the
Difference...*

**Led Lighting
Product Catalogue**
September 2021.



About Us...

Designed by world class international lighting designers, ORLO energy efficient LED lighting solutions are a leap ahead of the market. Our aim at ORLO is to maintain a competitive advantage by innovating and bringing the best in-class technology and latest designs to our target market.

We are a distribution & dealer network driven organization with a strong India-wide distributor & dealer network of over 3500+ outlets.

Today ORLO is one of the fastest growing consumer durable brands in India. Registered under ORLO Electronics Pvt Ltd, ORLO has been at the forefront of transforming the electrical & lighting industry in India through innovation and industry best pre-post sale services, warranty and support.

ORLO signifies quality, consistency and innovation. ORLO LED Lighting solutions come with industry leading on-site replacement warranty*.

*On-site Replacement is only provided directly by the company in Delhi/NCR and by authorised distributors & dealers in rest of India..

Products Index

All products are compliant under
BIS (Bureau of Indian Standards)



JUGNOO PANEL LIGHT
Page No 05



INTEGRATED SLIMLINE
Page No 06



PIXEL PANEL LIGHT
Page No 07



LUMIX PANEL LIGHT
Page No 8



LEO 2.0
Page No 9



AL. SURFACE LIGHT
Page No 10



SURFACE LIGHT
Page No 11



SLIM PANEL/BACKLIT
Page No 12



INTEGRATED JB BOX
Page No 13



SPOT LIGHT
Page No 14



SURFACE COB LIGHT
Page No 15



PRISM
Page No 16



TRINITY COB
Page No 17



PROJECT COB LIGHT
Page No 18



MIRAGE / ROYALE
Page No 19



ULTRON
Page No 20



ZOOM
Page No 21



TRACK LIGHTS
Page No 22



WARDROBE LIGHTS
Page No 24-25



INDOOR WALL LIGHT
Page No 26



HANGING LIGHT
Page No 27



LINEAR LIGHT
Page No 28-29



TUBE LIGHT
Page No 30



220V AC STRIPPO LIGHT
Page No 31



GATE / BOLLARD
Page No 33



GATE / GARDEN
Page No 34



OUTDOOR WALL LIGHT
Page No 35



OVAL OUTDOOR
Page No 36



STEP / BULKHEAD
Page No 37



HEXA FLOOD LIGHT
Page No 38



SOLAR FLOOD LIGHT
Page No 39-40



STREET LIGHT
Page No 41




HIGHBAY / STADIUM LIGHT
Page No 42



LONG THROW LIGHT
Page No 43



DRIVERS
Page No 44-46

A modern interior space featuring a light-colored wood-look floor, a white ceiling with recessed lighting, and a red diagonal stripe across the top. The room includes a dining area with a glass table and wooden chairs, a living area with a light-colored sofa, and a kitchen area with white cabinets and a countertop. A stone wall is visible in the background.

Indoor Lighting Series...



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-341 R/S	Jugnoo	430.00	6W	116x116	105x105	3K/4K/6.5K	540	60
OP-342 R/S	Jugnoo	675.00	12W	175x175	160x160	3K/4K/6.5K	1080	40
OP-344 R/S	Jugnoo	950.00	18W	225x225	210x210	3K/4K/6.5K	1620	20

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail




Hospitals

Find Us  
Website www.orloindia.com



OC-13 RG/SG	OC-14 RG/SG	OC-15 RG/SG	OC-17 RG/SG
Model: 3W Price: 100.00	Model: 6W Prices: 110.00	Model: 12W Prices: 170.00	Model: 18W Prices: 220.00

Optional: Surface Mounting Ring
Available for 6W/12W/18W Panels
both square and round



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OC-13 R/S	Integrated	325.00	3W	82x82	65x65	3K/4K/6.5K	300	100
OC-14 R/S	Integrated	440.00	6W	120x120	100x100	3K/4K/6.5K	660	60
OC-15 R/S	Integrated	725.00	12W	170x170	150x150	3K/4K/6.5K	1380	40
OC-16 R/S	Integrated	875.00	15W	190x190	175x175	3K/4K/6.5K	1500	40
OC-17 R/S	Integrated	950.00	18W	220x220	195x195	3K/4K/6.5K	2070	20

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail



Hospitals

Find Us  
Website www.orloindia.com

PIXEL LED PANEL LIGHT



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE (mm)	COLOUR	LUMEN	STD PC.
OP-535	Pixel	1035.00	8W	118x110x55	3K/4K/6.5K	880	80
OP-536	Pixel 3in1	1300.00	8W	118x110x55	3K/4K/6.5K 3in 1	720	80
OP-537	Pixel Smart	3580.00	8W	118x110x55	3K/4K/6.5K Smart	640	80
OP-538	Pixel	1575.00	18W	154x145x62	3K/4K/6.5K	1920	60
OP-539	Pixel 3in1	2100.00	18W	154x145x62	3K/4K/6.5K 3in 1	1620	60
OP-540	Pixel Smart	5200.00	18W	154x145x62	3K/4K/6.5K Smart	1440	60

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail



Hospitals

Find Us




Website www.orloindia.com



OP-386 RG/SG	OP-387 RG/SG	OP-388 RG/SG
Model: 8W Price: 110.00	Model: 15W Price: 160.00	Model: 22W Price: 230.00

Optional: Surface Mounting Ring
Available for: 8W,15W & 22W Backlit Panel



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-381 R/S	Lumix	310.00	5W	75x75	70x70	3K/4K/6.5K	500	60
OP-382 R/S	Lumix	410.00	8W	116x116	105x105	3K/4K/6.5K	800	40
OP-385 R/S	Lumix	590.00	10W	147x147	125x125	3K/4K/6.5K	1000	40
OP-383 R/S	Lumix	700.00	15W	162x162	155x155	3K/4K/6.5K	1500	30
OP-384 R/S	Lumix	985.00	22W	220x220	205x205	3K/4K/6.5K	2200	20

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail



Hospitals

Find Us  
Website www.orloindia.com



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OC-71 R/S	LEO 2.0	400.00	6W	120x120	105x105	3K/4K/6.5K	540	40
OC-72 R/S	LEO 2.0	650.00	12W	145x145	130x130	3K/4K/6.5K	1050	40
OC-73 R/S	LEO 2.0	800.00	15W	170x170	155x155	3K/4K/6.5K	1350	20
OC-74 R/S	LEO 2.0	900.00	18W	195x195	175x175	3K/4K/6.5K	1620	20
OC-75 R/S	LEO 2.0	1700.00	24W	305x305	280x280	3K/4K/6.5K	2200	10

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail



Hospitals

Find Us  
Website www.orloindia.com



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE (mm)	COLOUR	LUMEN	STD PACK
OP-531 R/S	Alu.Surface	585.00	6W	120x120x23	6500K	600	80
OP-532 R/S	Alu.Surface	810.00	12W	170x170x23	6500K	1200	60
OP-533 R/S	Alu.Surface	1200.00	18W	220x220x23	6500K	1800	60

APPLICATIONS



Find Us  
Website www.orloindia.com



BISCUIT 6W



BISCUIT 3W



HANDI



SKYLITE

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	COLOUR	LUMEN	STD PACK
OP-511	Skylite	450.00	7W	83 (3.3")	3K/ 4K 6.5K	700	50
OP-512	Skylite	765.00	15W	135 (5.3")	3K/ 4K/ 6.5K	1500	50
OP-405	Handi	260.00	6W	115	3K,4K,6.5K R,G,B,& Pink	540	60
OP-406	Biscuit	170.00	3W	60	3K,4K,6.5K R,G,B,& Pink	270	60
OP-410	Biscuit	225.00	6W	62	3K,4K,6.5K R,G,B,& Pink	540	60

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail



Hospitals

Find Us  
Website www.orloindia.com



BACKLIT PANEL
36W/48W

SLIM PANEL
48W Only

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-61	Slim Panel	4250.00	48W	600x600(24")	595x595	3K/4K/6.5K	5100	5
OP-64	Backlit Panel	3650.00	36W	600x600(24")	580x580	3K/4K/6.5K	3600	2
OP-69	Glaxo Panel	3100.00	40W	600x600(24")	580x580	3K/4K/6.5K	4000	2
OP-65	Surface Panel	3900.00	36W	600x600(24")	-	3K/4K/6.5K	3600	2
OP-66	Surface Panel	4400.00	48W	600x600(24")	-	3K/4K/6.5K	4800	2

APPLICATIONS



Offices



Hotels and
Restaurants



Retail



Hospitals

Find Us  
Website www.orloindia.com



ORBIT



JAZZ



AZURE



CHETAK



TINNY



BEBO



POGO **3IN1**

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OC-25 R	Bebo	185.00	3W	85 (3.5")	25 (1")	3K/4K/6.5K/R/G/B/Pink	270	60
OP-673	Jazz	280.00	7W	110 (4")	75 (3")	3K/4K/6.5K/R/G/B/Pink	750	60
OC-24 R	Tinny	195.00	3W	75 (3")	40 (1.5")	3K/4K/6.5K/R/G/B/Pink	270	100
OP-403	Orbit	240.00	5W	110 (4")	75 (3")	3K/4K/6.5K/R/G/B/Pink	550	60
OP-404	Orbit	290.00	9W	110 (4")	75 (3")	3K/4K/6.5K	900	60
OP-515	Orbit 3 in1	300.00	6W	110 (4")	75 (3")	3K/ 4K/ 6.5K ✓ Red, Pink, & Blue ✓ Green, Pink, Natural White ✓	600	60
OC-26 Rd	Pogo 3 in1	250.00	6W	72 (3")	44 (1.6")	3K/ 4K/ 6.5K ✓ Red, Pink, & Blue ✓ Green, Pink, Natural White ✓	540	60
OP-675	Chetak	180.00	4W	80 (3.5")	40 (1.4")	3K/4K/6.5K/R/G/B/Pink	360	60
OP516	Azure	275.00	6W	105 (4")	75 (3")	3K/4K/6.5K/R/G/B/Pink	660	60

APPLICATIONS



Offices



Hotels and Restaurants



Residences



Retail



Hospitals

Find Us  
Website www.orloindia.com



BLING



SAPPHAIRE



TWINKLE



SIGMA



LUCAS



YAMTU



YAMTU PRO

AVAILABLE IN

WHITE, CHROME, BLACK, ROSE & GOLD

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-224	Bling	180.00	2W	40	25	3K/4K/6.5K/R/G/B	160	100
OP-671	Twinkle	250.00	3W	75	35	3K/4K/6.5K/R/G/B/PINK	270	100
OP-221	Yamtu	295.00	2W	35	25	3K/4K/6.5K/R/G/B	180	100
OP-230	Yamtu Pro	305.00	2W	35	25	3K/4K/6.5K/R/G/B	180	100
OP-674	Lucas	575.00	5W	65	50	3K/4K/6.5K/R/G/B/PINK	450	60
OP-225	Sapphire	475.00	9W	110	75	3K/4K/6.5K/R/G/B	810	60
OP-524	Sigma	400.00	7W	105	70	3K/4K/6.5K/R/G/B/PINK	630	60

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Auditorium



Retail



Hospitals

Find Us  
Website www.orloindia.com

Discover the Difference...



Prima
Surface COB Light



360°
Surface COB



MIRABELLA
SURFACE COB



GiMBAL
Surface COB Light

Technical Specifications

CAT NO:	M.R.P.	MODEL	WATT	SIZE (mm)	HEIGHT (mm)	COLOUR	LUMEN	STD PACK
OP-441	1350.00	Prima Surface	10 W	75	100	3K/4K/6.5K	1000	20
OP-442	1950.00	Prima Surface	20 W	100	100	3K/4K/6.5K	2000	20
OP-443	1550.00	Mirabella (Rd)	12W	75	110	3K/4K/6.5K	1200	20
OP-444	1550.00	Mirabella (Sq)	12W	110	110	3K/4K/6.5K	1200	20
OP-734	1100.00	Gimbal	6W	69	81	3K/4K/6.5K	600	-
OP-735	1600.00	Gimbal	12W	103	126	3K/4K/6.5K	1200	-
OP-446	2450.00	360° surface	12W	70	115	3K/4K/6.5K	1200	-



Hotels and
Restaurants



Residences



Retail

Find Us



Website www.orloindia.com



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-521	Prism	300.00	3W	70	48	3K/4K/6.5K	270	100
OP-522	Prism	435.00	6W	90	65	3K/4K/6.5K	540	60
OP-523	Prism	545.00	9W	110	90	3K/4K/6.5K	810	40
OP-525	Prism	455.00	7W	110	75	3K/4K/6.5K	630	60

APPLICATIONS



Hotels and
Restaurants



Residences



Retail

Find Us  
Website www.orloindia.com



OPTIONAL
DIMMABLE DRIVER
Price Available upon request

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-160	Trinity	875.00	6W	75	65	3K/4K/6.5K	650	60
OP-166	Trinity	1160.00	12W	85	75	3K/4K/6.5K	1320	40
OP-163	Trinity	2050.00	20W	130	105	3K/4K/6.5K	2500	20
OP-164	Trinity	2300.00	30W	150	125	3K/4K/6.5K	3600	20

APPLICATIONS



Hotels and
Restaurants



Retail



Showroom

Find Us  
Website www.orloindia.com



2W



4W

Also available in
Black Body



10W

Note : White/Black body available in
2W/4W/10W Laser lights

BODY AVAILABLE IN

White | White with Black Reflector | Rosegold

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	HEIGHT (mm)	COLOUR	LUMEN	STD PACK
OP-681	Project Cob	1100.00	7W	40	36	55	3K/4K/6.5K	770	-
OP-682	Project Cob	1450.00	12W	60	55	80	3K/4K/6.5K	1320	-
OP-731	Laser Light	650.00	2W	45x45	40x40	48	3K/4K/6.5K	200	-
OP-732	Laser Light	875.00	4W	45x75	40x42	48	3K/4K/6.5K	400	-
OP-733	Laser Light	1500.00	10W	45x148	40x142	48	3K/4K/6.5K	1000	-

OPTIONAL

DIMMABLE DRIVER

Price Available upon request

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Retail



Hospitals



Outdoors

Find Us



Website www.orloindia.com


Royale
COB Light

MIRAGE
Led COB Light

Also Available
In Black Body



OPTIONAL
DIMMABLE DRIVER
Price Available upon request

Available Royale
REFLECTOR COLORS



Black, Gold, Rose Gold, Chrome

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	HEIGHT	COLOUR	LUMEN	STD PACK
OP-431	Mirage (B/W)	875.00	6W	75	65	80	3K/4K/6.5K	600	30
OP-432	Mirage (B/W)	1160.00	12W	90	80	100	3K/4k/6.5K	1200	30
OP-433	Mirage(B/W)	2050.00	18W	95	85	95	3K/4K/6.5K	1800	20
OP-453	Royale (White)	1450.00	12W	85	75	80	3K/4K/6.5	1200	30
OP-454	Royale (Black)	1450.00	12W	85	75	80	3K/4k/6.5k	1200	30

APPLICATIONS



Hotels and
Restaurants



Residences



Retail



Showroom

Find Us  
Website www.orloindia.com



OPTIONAL
DIMMABLE DRIVER
Price Available upon request

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT (mm)	COLOUR	LUMEN	STD PACK
OP-491	Ultrason	875.00	7W	88	71	3K/4K/6.5K	840	20
OP-492	Ultrason	1140.00	12W	88	71	3K/4K/6.5K	1440	20
OP-493	Ultrason	2000.00	20W	120	102	3K/4K/6.5K	2400	20
OP-494	Ultrason	2200.00	25W	120	102	3K/4K/6.5K	3000	20
OP-495	Ultrason	2300.00	30W	150	125	3K/4K/6.5K	3600	20

APPLICATIONS



Hotels and
Restaurants



Residences



Retail

Find Us  
Website www.orloindia.com



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE O/D (mm)	CUTOUT I/D (mm)	COLOUR	LUMEN	STD PACK
OP-52 R	Zoom	3650.00	30W	150	125	3K/ 4K/6.5K	3100	12
OP-54 R	Zoom	4750.00	35W	185	170	3K/ 4K/6.5K	3700	12

APPLICATIONS



Hotels and
Restaurants



Residences



Retail



Showroom

Find Us  
Website www.orloindia.com



TRONIC TRACK LIGHT



GLANZA
SURFACE TRACK LIGHT



TOPAZ
SURFACE / TRACK LIGHT

Surface Model Available in all Track lights

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	COLOUR	LUMEN	STD PACK
OP-461	Tronic Track light White	2700.00	30W	3K/4K/6.5K	3000	10
OP-462	Tronic Track light Black	2700.00	30W	3K/4k/6.5K	3000	10
OP-352	Glanza Track/surface B/W	2400.00	20W	3K/4K/6.5K	2200	20
OP-353	Glanza Track/surface B/W	3250.00	30W	3K/4k/6.5K	3300	10
OP-661	Topaz Track/surface B/W	1500.00	10W	3K/4k/6.5K	900	20
OP-662	Topaz Track/surface B/W	2100.00	20W	3K/4k/6.5K	1800	20
OP-663	Topaz Track/surface B/W	2600.00	30W	3K/4k/6.5K	2800	10

Track Light Connector: Black/White

I Type: Rs. 250.00 L Type: Rs. 250.00 T Type: Rs. 325.00

Track Rail: Black/White

OP-86: 1 Metre Rail - Rs. 620.00

OP-87: 2 Metre Rail - Rs. 1200.00

Dimension (LxWxH): 1000x42x20

Dimension (LxWxH): 2000x42x20

APPLICATIONS



Hotels and
Restaurants



Residences



Retail

Find Us  
Website www.orloindia.com



ORLO



ORLO



*Discover the
Difference...*

Introducing

Yulip

Wardrobe Lights

with Sensor (Motion and Day/Night).

- Great looking wardrobe light
- Easy to Install
- No Electricity connection required
- Works with USB Rechargeable Battery
chargeable by any USD connection (like Phone charger).
- Once charged works for upto 2-3 months.

2 Year
Warranty

Available in 4 sizes :

200mm / 300mm / 400mm / 600mm

CAT NO: 601

200 mm Wardrobe Light

MRP : ₹ 1250.00

(inclusive of taxes)

CAT NO: 602

300 mm Wardrobe Light

MRP : ₹ 1850.00

(inclusive of taxes)

CAT NO: 603

400 mm Wardrobe Light

MRP : ₹ 2500.00

(inclusive of taxes)

CAT NO: 604


600 mm Wardrobe Light

MRP : ₹ 3700.00

(inclusive of taxes)



No hammers, drills, or tools required, an adhesive strip with magnetic fields is easily attached to and detachable from the lamp body. Thus, you can install this led closet light in the pantry, closet, cabinet, wardrobe, desk, bookcase, stairwell, corridor, kitchen, bathroom, etc.




Connect with us on
www.orloindia.com/orloled

Follow us on
www.twitter.com/orlo.india

You Tube Orloled

Toll Free No: 1800 103 4199

E-mail: info@orloindia.com || Website : www.orloindia.com



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-107	Elegance	2200.00	6W	25x150x50	3K/6.5K	450	20
OP-108	Flair	2400.00	12W	180x170x125	3K/6.5K	900	20
OP-109	Pingu	650.00	3W	94x94x32	3K/6.5K	240	100
OP-291	Longhi	2400.00	15W	50x50x210	3K/6.5K	1350	50
OP-445	Stylo	1500.00	6W	300x51x145	3K/6.5K	450	20
OP-447	Stylo	2600.00	12W	500X140	3K/6.5K	1080	20

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Staircase



Auditorium



Corridors



Retail

Find Us  
Website www.orloindia.com



CHERRY



BLACK GLOBE



MAMBA



STUDIO



VEGA



B. BETRIA



BLACK CONE

Technical Specifications

CAT NO:	MODEL	M.R.P.	SIZE(LxW)	BASE	STD PACK
OP-501	Cherry	1600.00	300x330	E27	1
OP-503	Black Globe	1600.00	350x360	E27	1
OP-504	B/Gold Globe	1600.00	350x360	E27	1
OP-505	Mamba	1600.00	304x325	E27	1
OP-506	Studio Hanging	1600.00	210x260	E27	1
OP-507	Vega Plate	1500.00	355x165	E27	1
OP-508	Black Betria	1500.00	304x254	E27	1
OP-509	Black Cone	1400.00	380x177	E27	1

APPLICATIONS



Offices



Hotels and
Restaurants



Residences

Find Us  
Website www.orloindia.com



*Discover the
Difference...*



Introducing new range of
HANGING LINEAR LED LIGHTS.

Ideal for conference rooms, display centres,
showrooms, etc



Scan QR Code
for more Details



Hanging LED Linear Light

Latest Designs

coupled with Industry un-matched quality & service.

Available in 36W/48W – White & Black Color profiles.

Ideal for conference rooms, display centres, showrooms, etc

CAT NO	: OP-571
POWER	: 36W (3382 Black-36W/15W Reflector)
M.R.P. (inclusive of taxes)	: ₹ 9750.00

CAT NO	: OP-572
POWER	: 48W (5070 White Black & Silver)
M.R.P. (inclusive of taxes)	: ₹ 5300.00

***Discover the
Difference...***





Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OC-50	Square	325.00	5W	290x21x36	3K/6.5K	500	25
OC-51	Square	350.00	10W	600x21x36	3K/6.5K	1000	25
OC-52	Square	400.00	20W	1200x21x36	3K/4K/6.5K	2000	25
OC-54	Square	500.00	25W	1200x21x36	3K/4K/6.5K	2500	25
OC-57	Mushroom	850.00	36W	1160x31x36	3K/6.5K	3600	20
OC-56	Rectangle	1275.00	45W	1165x25x40	3K/6.5K	4500	20
OC-58	Sleek Batten	950.00	36W	1160x15x36	3K/6.5K	3600	20
OP-60	Trumpet	950.00	36W	1200x32x36	6.5K	3600	20

APPLICATIONS



Offices



Hotels and
Restaurants



Residences



Staircase



Auditorium



Corridors



Retail




Hospitals

Find Us  
Website www.orloindia.com

Discover the Difference...

STRIPPO



OPTIONAL
DIMMABLE DRIVER
Price Available upon request

Technical Specifications

CAT NO:	MODEL	M.R.P.	NO OF LED	LENGHT	COLOUR	LUMEN	DRIVER
OP-179	2835	600.00	60 Per Mtr	5 Mtr	3K/6.5K/R/G/B/Gold/Purple	20Lm/LED	2 Amp
OP-180	2835	900.00	120 Per Mtr	5 Mtr	3K/4K/6.5K /Blue	28Lm/LED	5 Amp
OP-170	2835	1800.00	240 Per Mtr	5 Mtr	3K/6.5K/R/G/B/Gold/Purple	28Lm/LED	10 Amp

AC 220V OUTDOOR STRIP- IP 65

OP-176	2835-IP 65	Rs.11000.00	120 Per Mtr	50 Mtr	3K/6.5K/R/G/B/Gold/Pink	28Lm/LED	No Driver
--------	------------	-------------	-------------	--------	-------------------------	----------	-----------

COMBO PACK

OP-480	2835	900.00	60 Per Mtr	5 Mtr	3K/6.5K/R/G/B/Gold/Purple	20Lm/LED	1.25 Amp
OP-481	2835	1000.00	60 Per Mtr	5 Mtr	3K/6.5K/R/G/B/Gold/Purple	20Lm/LED	2 Amp
OP-484	2835	1335.00	120 Per Mtr	5 Mtr	3K/6.5K/R/G/B/Gold/Purple	20Lm/LED	2.5 Amp

HULK DRIVERS

HEAVY DUTY WITH THERMAL CUT-OFF

2 AMP HULK DRIVER : DC 12V- 2835 STRIPPO	
OC-265	MRP : 410.00



3 AMP HULK DRIVER : DC 12V- 2835 STRIPPO	
OC-266	MRP : 600.00



5 AMP HULK DRIVER : DC 12V- 2835 STRIPPO	
OC-267	MRP : 900.00



10 AMP HULK DRIVER : DC 12V- 2835 STRIPPO	
OC-268	MRP : 1800.00



20 AMP HULK DRIVER : DC 12V-2835 STRIPPO	
OC-269	MRP : 2800.00



30 AMP HULK DRIVER : DC 12V-2835 STRIPPO	
OC-270	MRP : 4000.00



Captain DRIVERS

1.25 AMP CAPTAIN DRIVER	
OC-234	MRP : 325.00



2.5 AMP CAPTAIN DRIVER	
OC-236	MRP : 485.00



POWER PLUG : 220V AC -5050 STRIPPO	
OP-177	MRP: 175.00



Outdoor Lighting Series...



TROPICAL

32



CONE GATE



ASTRO GATE



EIFFEL



CONE



BAMBOO

Technical Specifications

CAT NO:	MODEL	M.R.P.	BASE/WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-421	EIFFEL	3350.00	E27	500	NA	NA	4
OP-422	CONE	4450.00	E27	765	NA	NA	4
OP-420	BAMBOO	3350.00	E27	380	NA	NA	4
OP-424	BAMBOO	4450.00	E27	750	NA	NA	4
OP-425	ASTRO GATE	1600.00	E-27	230x180	NA	NA	4
OP-426	CONE GATE	1600.00	E-27	220x175	NA	NA	4

APPLICATIONS



Outdoors

Find Us  
Website www.orloindia.com



GARDEN
LIGHT



UNITY GATE LIGHT



PARABOLIC GATE LIGHT



TROPICAL



NARROW BEAM
UP-LIGHTER



BURIAL IN-GROUND

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-543	PARABOLIC	4600.00	E27	325x280	-	-	-
OP-544	UNITY	6150.00	E27	275x255	-	-	-
OP-429	TROPICAL	2400.00	10W	240x100	WW	850	10
OP-72	GARDEN LIGHT	900.00	5W	280x85	3K/6.5K/G	400	30
OP-73	GARDEN LIGHT	1330.00	9W	280x85	3K	720	30
OP-563	BURIAL	1675.00	6W	80x80	3K/4K/6.5K	540	20
OP-564	BURIAL	2200.00	9W	100x100	3K/4K/6.5K	810	20
OP-394	NARROW	3500.00	10W	70x130	3K/6.5K	1000	40

APPLICATIONS



Hotels and
Restaurants



Residences



Outdoors

Find Us



Website www.orloindia.com




K-Light
UP-DOWNLIGHTER



OMEGA
UP-DOWNLIGHTER



SPUTNIK
UP-DOWNLIGHTER



APOLLO
UP-DOWNLIGHTER

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-396	APOLLO SINGLE	1200.00	5W	100x90x60	3K/6.5K	450	50
OP-399	APOLLO DOUBLE	1600.00	10W	150x90x60	3K/6.5K	900	40
OP-393	SPUTNIK	1900.00	10W	126x60	WW	900	50
OP-565	K-LIGHT SINGLE	885.00	5W	78x65	3K	450	50
OP-566	K-LIGHT DOUBLE	1400.00	10W	142x65	3K	900	40
OP-448	OMEGA 4 WAY	1950.00	12W(3WX4)	75x75x55	3K	1200	-

APPLICATIONS



Hotels and
Restaurants




Residences



Outdoors

Find Us  
Website www.orloindia.com



3W Outdoor 2-Way Led



6W Outdoor 4-Way Led



8W Outdoor 6-Way Led



10W Outdoor 8-Way Led

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-741	2 WAY LED	1100.00	3W	76x76	3K	300	-
OP-742	4 WAY LED	1600.00	6W	127x76	3K	600	-
OP-743	6 WAY LED	2050.00	8W	178x76	3K	800	-
OP-744	8 WAY LED	2550.00	10W	230x76	3K	1000	-

APPLICATIONS



Hotels and
Restaurants




Residences



Outdoors

Find Us  
Website www.orloindia.com



MICRA 3W
(Also Available in Black Body)



MICRA 5W
(Also Available in White Body)



BULKHEAD 10W



BULKHEAD 5W



TIKKO (Bulkhead)

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-262	BULKHEAD	725.00	5W	117x70x60	3K/6.5K	380	30
OP-263	BULKHEAD	1080.00	10W	178x98x65	3K/6.5K	820	20
OP-392	MICRA (B&W Body)	770.00	3W	85x85	3K	220	20
OP-395	MICRA	1100.00	5W	120x85	3K	380	20
OP-745	TIKKO	1625.00	12W	190x110x70	3K/6.5K	1080	30

APPLICATIONS



Hotels and
Restaurants




Residences



Outdoors

Find Us  
Website www.orloindia.com



Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-371	HEXA	1975.00	30W	180x170	3K/6.5K	3000	20
OP-372	HEXA	2300.00	50W	265x250	3K/6.5K/R/G/B/PINK	5500	10
OP-373	HEXA	4100.00	100W	285x270	3K/6.5K	11000	5
OP-374	HEXA	6550.00	150W	285x305	3K/6.5K	15000	5
OP-375	HEXA	8800.00	200W	295x315	3K/6.5K	20000	4
OP-542	TABLET	1285.00	20W	120x160x25	3K/6.5K	2000	20
OP-711	HERCULES	2075.00	30W	170x180	3K/6.5K	3000	20
OP-712	HERCULES	2400.00	50W	210x220	3K/6.5K	5000	20
OP-713	HERCULES	4275.00	100W	260x270	3K/6.5K	10000	10
OP-714	HERCULES	8900.00	200W	330x340	3K/6.5K	20000	5

APPLICATIONS



Outdoors

Find Us  
Website www.orloindia.com




Multifunctional Solar LED Flood Light 10W

CAT NO: OP-541
INPUT VOLTAGE : 185-265V
FREQUENCY : 50-60 Hz
IP-RATING:66
POWER : 10W
BEAM ANGLE : 60°

Color: 3000K, 6500K


MRP. : 4500.00
(inclusive of taxes)

Working Mode



On/off Switch

Sensor Mode



When battery capacity above >30%

Automatically turns on to full brightness when motion is detected in the range <6mtrs, then dim to weak brightness in 20 second of no motion



When battery capacity below >30%

Automatically turns on to full brightness when motion is detected in the range <6mtrs, then turn off in 20 second of no motion

Constant Lighting Mode



Press the button for 3 second and shining one time, lamp turn to constant lighting mode both motion and light sensor disabled.

Permanently keep lighting until the battery capacity reduced to zero switching back to sensor mode.

Connect with us on



[www.orloindia.com/
orloled](http://www.orloindia.com/orloled)

Follow us on



[www.twitter.com/
orlo.india](http://www.twitter.com/orlo.india)

You Tube Orloled

E-mail: info@orloindia.com || Website : www.orloindia.com

Toll Free No: 1800 103 4199



Introducing 10W Portable Solar Flood Light with Sensor



Leadpad, Able to be every light !

Foldable, Adjustable

Portable, Standable & Hanging



Solar Powered



ZERO cost



Auto on/off



Safe



Outdoor



PIR detective



Battery replacement



Cordless

Power / Lumen: 10W/500 | Led: SMD 2835*30pcs. | Li-ion Battery Pack: 18650/3000mAh/3.7V, replacement

Solar panel: 2.3Wp, Mono-crystalline Silicon | Beam Angle: 90° | Protection: IP65 Waterproof | PIR Detection angle/Area: 120°/6 meters

Color CCT: 3000K 6000K | Warranty: 24 month (12 Month warranty for battery)



OTTER



RHINO

IES LM-79 Certified 45W & 70W

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-271	RHINO	2000.00	25W	310x80x110	3K/6.5K	2750	10
OP-272	RHINO	2700.00	45W	390x147x70	3K/6.5K	4950	10
OP-273	RHINO	4300.00	70W	460x212x70	3K/6.5K	7700	4
OP-274	RHINO	5200.00	100W	460x212x70	3K/6.5K	11000	4
OP-701	OTTER	1450.00	24W	330x90x30	3K/6.5K	2400	20
OP-702	OTTER	1875.00	30W	330x110x30	3K/6.5K	3000	20
OP-703	OTTER	2550.00	50W	380x140x50	3K/6.5K	5000	10
OP-705	OTTER SENSOR	3050.00	50W	380x140x50	3K/6.5K	5000	10
OP-704	OTTER	4500.00	100W	435x190x50	3K/6.5K	10000	10



OTTER STREET LIGHT 50W
WITH SENSOR DAY/NIGHT (OP-705)




MYSTIQUE



LOWBAY



STADIUM LIGHT



HIGH BEAM

Technical Specifications

CAT NO:	MODEL	M.R.P.	WATT	SIZE LxWxH (mm)	COLOUR	LUMEN	STD PACK
OP-122	MYSTIQUE	5850.00	50W	445x330	3K/6.5K	5500	1
OP-123	MYSTIQUE	10350.00	100W	445x330	3K/6.5K	11000	1
OP-124	MYSTIQUE	12500.00	150W	445x330	3K/6.5K	15500	1
OP-376	Stadium Lt	18500.00	250W	560x350 (HxL)	3K/6.5K	26000	1
OP-129	UFO	10500.00	100W	320x280	3K/6.5K	11000	1
OP-130	UFO	13300.00	150W	430x360	3K/6.5K	13000	1
OP-377	Lowbay	4950.00	70W	300x170	3K/6.5K	7700	1
OP-378	Lowbay	5500.00	100W	300x170	3K/6.5K	11000	1
OP-379	High Beam	9850.00	150W	285x270	3K/6.5K	16500	1

APPLICATIONS



Outdoors

Find Us  
 Website www.orloindia.com



High Wattage Light IP-66

Long-Throw

Led Flood Light
400W/ 800W

CAT NO : OP-561
POWER : 400W
Lumen : 41000
BEAM ANGLE : 60°
M.R.P. : ₹32000.00
(inclusive of taxes)

CAT NO : OP-562
POWER : 800W
Lumen : 82000
BEAM ANGLE : 60°
M.R.P. : ₹61000.00
(inclusive of taxes)

TECHNICAL SPECIFICATION



Scan QR Code
for more Details

Long-Throw light illuminating World Financial Centre, **SHANGHAI**

Application:

Ideal for Outdoor areas requiring

Long Distance Light
coverage and high illumination.



440V-20KV surge || High Voltage Cutoff

Discover the Difference...

Down Light Driver



Cat No	: OC-209
Watt	: 24W
MRP.	: 725.00
ORLO Fitting	: OP-94

Indoor Wall Light Driver



Cat No	: OC-213
Watt	: 6W
MRP.	: 550.00
ORLO Fitting	: OP-107

Down Light Driver



Cat No	: OC-210
Watt	: 40W
MRP.	: 1350.00
ORLO Fitting	: OP-95

Indoor Wall Light Driver



Cat No	: OC-214
Watt	: 12W
MRP.	: 800.00
ORLO Fitting	: OP-108

Indoor Wall Light Driver



Cat No	: OC-211
Watt	: 3W
MRP.	: 220.00
ORLO Fitting	: OP-109

Panel Driver



Cat No	: OC-231
Watt	: 4-7W
MRP.	: 180.00
ORLO Fitting	: OC-71

PINGU Light Driver



Cat No	: OC-212
Watt	: 3W
MRP.	: 450.00
ORLO Fitting	: OP- 97/98

Panel Driver



Cat No	: OC-232
Watt	: 8-12W
MRP.	: 275.00
ORLO Fitting	: OC-72

Discover the Difference...

Panel Driver



Cat No	: OC-233
Watt	: 12-18W
MRP.	: 400.00
ORLO Fitting	: OC-73

COB Driver



Cat No	: OC-237
Watt	: 4-7W
MRP.	: 275.00
ORLO Fitting	: OC-31 R7

Panel Driver



Cat No	: OC-234
Watt	: 19-24W
MRP.	: 540.00
ORLO Fitting	: OC-74

COB Driver



Cat No	: OC-238
Watt	: 8-12W
MRP.	: 375.00
ORLO Fitting	: OC-32 R

Panel Driver



Cat No	: OC-235
Watt	: 48W
MRP.	: 1120.00
ORLO Fitting	: OP-61-62

COB Driver



Cat No	: OC-239
Watt	: 12-18W
MRP.	: 480.00
ORLO Fitting	: OC-33 R

COB Driver



Cat No	: OC-236
Watt	: 1-3W
MRP.	: 180.00
ORLO Fitting	: OC-30 R

COB Driver



Cat No	: OC-240
Watt	: 19-24W
MRP.	: 700.00
ORLO Fitting	: OC-34 R

Discover the Difference...

Panel Driver




Cat No	: OC-241
Watt	: 30-40W
MRP.	: 1050.00
ORLO Fitting	: OP-53 R

Panel Driver



Cat No	: OC-245
Watt	: 8W
MRP.	: 275.00
ORLO Fitting	: OP-251 R/S

Flood Light Driver




Cat No	: OC-242
Watt	: 20W
MRP.	: 375.00
ORLO Fitting	: OP-38

Panel Driver



Cat No	: OC-246
Watt	: 16W
MRP.	: 400.00
ORLO Fitting	: OP-252 R/S

Flood Light Driver



Cat No	: OC-243
Watt	: 30W
MRP.	: 600.00
ORLO Fitting	: OP-39

Panel Driver



Cat No	: OC-247
Watt	: 22W
MRP.	: 540.00
ORLO Fitting	: OP-253 R/S

Flood Light Driver



Cat No	: OC-244
Watt	: 50W
MRP.	: 950.00
ORLO Fitting	: OP-40/41/42/43




On all drivers




All drivers are compliant under
BIS (Bureau of Indian Standards)

Our Certifications



ORLO BIS Certificate



ORLO ISO 9001:2015 Certificate

Our Clients...



General Notes:-

- This price list is effective from 1st September 2021.
- MRP is inclusive of all taxes. All wattages/lumens are system wattage/lumens | All fitting can operate between 100V and 285V
- All listed products carry a warranty 2 years.
- Every efforts has been made to ensure accuracy in compilation of technical/ commercial details in catalog.





Regd. Address: New Delhi

K-11, Udyog Nagar Industrial Area, Peera Garhi
Near Peera Garhi Metro Station, Rohtak Road
New Delhi-110041

Find Us  

E-mail: info@orloindia.com || Website : www.orloindia.com

Toll Free Number: 1800 103 4199

